

As enclosed to IPER

We claim:

1. The use of glass-fiber-reinforced thermoplastic molding composition comprising, based on the total of components A to D and, if desired, E and F, which in total give 100% by weight,
 - a) as component A, from 10 to 97% by weight of at least one aromatic polyester,
 - b) as component B, from 1 to 50% by weight of at least one particulate graft copolymer whose soft phase has a glass transition temperature below 0°C and whose median particle size is from 50 to 1000 nm,
 - c) as component C, from 1 to 50% by weight of at least one copolymer made from the following monomers
 - c1) a component C1, from 50 to 90% by weight of at least one vinylaromatic monomer, and
 - c2) as component C2, from 10 to 25% by weight of acrylonitrile and/or methacrylonitrile,
 - d) as component D, from 1 to 50% by weight of glass fibers,
 - e) as component E, from 0 to 25% by weight of other compatible polymers homogeneously miscible with components A and/or C or dispersible in these, and
 - f) as component F, from 0 to 10% by weight of conventional additives, such as UV stabilizers, oxidation retarders, lubricants and mold-release agentsfor producing moldings for motor vehicle interiors.
2. The use as claimed in claim 1, wherein component A is composed of

a1) from 60 to 99% by weight of polybutylene terephthalate and

a2) from 1 to 40% by weight of polyethylene terephthalate.

3. The use as claimed in claim 1 or 2, wherein component B is composed of

b1) from 50 to 90% by weight of a particulate graft base B1 made from the following monomers

b1.1) as component B11, from 75 to 99.9% by weight of a C₁-C₁₀-alkyl acrylate,

b1.2) as component B12, from 0.1 to 10% by weight of at least one polyfunctional monomer having at least two non-conjugated olefinic double bonds, and

b1.3) as component B13, from 0 to 24.9% by weight of one or more other copolymerizable monomers,
and

b2) from 10 to 50% by weight of a graft B2 made from the following monomers

b2.1) as component B21, from 50 to 90% by weight of a vinylaromatic monomer, and

b2.2) as component B22, from 10 to 50% by weight of acrylonitrile and/or methacrylonitrile.

4. The use as claimed in any one of claims 1 to 3, wherein components B21 and/or C1 are unsubstituted styrene.

5. The use as claimed in any one of claims 1 to 4, wherein component B1 is composed of components B11 and B12.

ADD A2